

## **Chapters**

Lou B-H, Szabó LZ, Shenderovich M, Polt RL, Hruby VJ. The Conformational Properties of Glycopeptide Enkephalin Analogues in Solution, Determined by NMR and Molecular Modeling. In *Peptides, Chemistry, Structure and Biology*. Kaumaya PTP, Hodges RS, Eds. Escom, Leiden, Netherlands 1995

Polt RL. 9-Fluorenylmethoxycarbonylchloride (Fmoc). In *Encyclopedia of Reagents for Organic Synthesis*. Paquette L, Ed. John Wiley & Sons, Chichester, UK 1995

Polt RL. Amaryllidaceae Alkaloids with Antitumor Activity. In *Organic Synthesis: Theory and Applications*. Hudlicky T, Ed. JAI Press, Inc., London, UK 1996; Vol 3, pp 109-148

Williams SA, Abbruscato TJ, Szabó LZ, Polt RL, Hruby VJ, Davis TP. The Effect of Glycosylation on the Uptake of an Enkephalin Analogue into the Central Nervous System. In *Biology and Physiology of the Blood-Brain Barrier*. Couraud & Scherman, Eds. Plenum Press, New York, NY 1996; pp 69-77

Polt RL, Szabó LZ, Hruby VJ, Davis TP, Porreca F, Yamamura HI. Synthesis and Pharmacology of O-Linked Glycopeptide Analogues: A New Class of Opioid Analgesics. In *Innovation and Perspectives in Solid Phase Synthesis & Combinatorial Libraries*. Epton R, Ed. Mayflower Scientific Ltd, Birmingham, UK 1997; pp 277-280

Polt RL. Synthetic Methods for Glycopeptides. In *Carbohydrate Chemistry*. Boons G-J, Ed. Chapman and Hall, London, UK 1998; pp 221-242

Polt RL. Benzophenone Imines of Amino Acids as Electrophiles. In *Amino Acid Derivatives: A Practical Approach*. Barrett GC, Ed. Oxford University Press, Oxford, UK 1999; pp 101-114

Polt RL, Mitchell SA. Glycopeptide Analgesics Derived from Enkephalins. In *Glycoscience: Chemistry and Chemical Biology*. Fraser-Reid B, Tatsuta K, Theim J, Eds. Springer-Verlag GmbH, Heidelberg, Germany 2001; pp 2355-2392

## **Journal Publications**

O'Donnell MJ, Polt RL. A mild and efficient route to Schiff base derivatives of amino acids. *J Org Chem* **1982**, *47*, 2663-2665

Polt RL, Stork G, Carpenter GB, Williard PG. X-ray crystal structure of N-(2-lithiocyclohexenyl)-N,N', N'-trimethyl-1,3-propanediamine: A pentavalent lithium? *J Am Chem Soc* **1984**, *106*, 4276-4277

O'Donnell MJ, Bennett WD, Polt RL. Preparation of an electrophilic glycine cation equivalent and its reaction with heteroatom nucleophiles. *Tetrahedron Lett* **1985**, *26*, 695-698

Stork G, Shiner CS, Cheng CW, Polt RL. The deprotonation of chelating enamines. Direct formation of .beta.-lithio enamines. *J Am Chem Soc* **1986**, *108*, 304-305

Polt RL. PhD Thesis, Columbia University, New York, NY, **1986**

Polt RL, Seebach D. Alkylation of imidazolidinone dipeptide derivatives: Preparation of enantiomerically pure di- and tripeptides by "chirality transfer" via a pivaldehyde acetal center. *Helv Chim Acta* **1987**, *70*, 1930-1936

Stork G, Polt RL, Li YS, Houk KN. Theoretical studies on the deprotonation of chelating enamines. *J Am Chem Soc* **1988**, *110*, 8360-8367

O'Donnell MJ, Bennett WD, Bruder WA, Jacobsen WN, Knuth K, LeClef B, Polt RL, Bordwell FG, Mrozack SR, Cripe TA. Acidities of glycine Schiff bases and alkylation of their conjugate bases. *J Am Chem Soc* **1988**, *110*, 8520-8525

Seebach D, Polt RL. Stereoselective alkylation of glycine units in dipeptide derivatives. "Chirality transfer" via a pivaldehyde N,N-acetal center. *J Am Chem Soc* **1988**, *110*, 2622-2632

Egli M, Polt RL, Seebach D. Diastereoselective cyclization of a glycyL-alanine azomethine to an imidazolidinone: Determination of the product configuration by x-ray analysis. *Chimia* **1989**, *43*, 4-5

Polt RL, Peterson M. Amino alcohols from amino acids: Chelation control via Schiff bases. *Tetrahedron Lett* **1990**, *31*, 4985-4986

Szabó LZ, Li YS, Polt RL. O-glycopeptides—A simple beta-stereoselective glycosidation of serine and threonine via a favorable hydrogen-bonding pattern. *Tetrahedron Lett* **1991**, *32*, 585-88

Wijayaratne T, Polt RL. Erythrose sesqui-acetals as electrophiles. 2-deoxy-C-nucleosides from D-glucose. *Tetrahedron Lett* **1991**, *32*, 4831-4834

Peterson MA, Polt RL. E-1-lithio-alkenes in hydrocarbon solvent. *Synth Commun* **1992**, *22*, 477-480

Wijayaratne T, Collins N, Li YS, Bruck MA, Polt RL. Alkoxy Schiff base-oxazolidine tautomerism. Solid state structure of N-diphenylmethylene-L-threonine methyl ester. *Acta Crystallogr B Struct Sci* **1993**, *49*, 316-320

Polt RL, Peterson MA, DeYoung L. Aluminoxyl-acetals from amino esters: Chirality transfer via sequential addition of hydride and C-nucleophiles. 2-Amino alcohols and sphingosines. *J Org Chem* **1992**, *57*, 5469-5480

Polt RL, Szabó LZ, Treiberg J, Li YS, Hruby VJ. General methods for alpha-O-ser/thr or beta-O-ser/thr glycosides and glycopeptides. Solid-phase synthesis of O-glycosyl cyclic enkephalin analogs. *J Am Chem Soc* **1992**, *114*, 10249-10258

Polt RL, Fernando Q, Li YS, Rivera M. Unsymmetrical disulfides: bis-cysteine disulfides of meso-2,3-dimercaptosuccinic acid. *Tetrahedron Lett* **1992**, *33*, 2961-2964

Peterson MA, Polt RL. N-diphenylmethylene-protected glycosyl acceptors. Selective glycosylation to form lactosyl-threo-ceramides. *J Org Chem* **1993**, *58*, 4309-4314

Polt RL, Porreca F, Szabó LZ, Bilsky EJ, Davis P, Abbruscato TJ, Davis TP, Horvath R, Yamamura HI, Hruby VJ. Glycopeptide enkephalin analogues produce analgesia in mice: Evidence for penetration of the blood-brain barrier. *Proc Nat Acad Sci USA* **1994**, *91*, 7114-8

Weber SJ, Abbruscato TJ, Brownson EA, Lipkowski AW, Polt RL, Misicka A, Haaseth RC, Bartosz H, Hruby VJ, Davis TP. Assessment of an in-vitro blood-brain barrier model using several [Met5]enkephalin opioid analogs. *J Pharmacol Exp Ther* **1993**, *261*, 1649-1655

Szabó LZ, Polt RL. Stereoselective synthesis of beta-D-glycopyranosyl-L-seriate OR beta-D-glycopyranosyl-L-threoninate derivatives with an unusual migration. *Carbohydr Res* **1994**, *258*, 293-7

Hruby VJ, Misicka A, Lipkowski AW, Haaseth RC, Bartosz H, Qian X, Collins N, Meyer JP, Szabó LZ, Polt RL, Porreca F, Davis TP, Yamamura HI. New opioid compounds in analgesia. *Regul Peptides Suppl* **1994**, S71-S72

Sames D, Polt, RL. An enantioselective synthesis of N-methylfucosamine via tandem C-C/C-O bond formation. *J Org Chem* **1994**, *59*, 4569-4601

Szabó LZ, Ramza J, Langdon C, Polt RL. Stereoselective synthesis of  $\alpha$  or  $\beta$ -O-serinyl/threoninyl-2-deoxy-2-acetamido-glycosides. *Carbohydrate Res* **1995**, *274*, 11-28

Maiorino RM, Aposhian MA, Xu Z-F, Li YS, Polt RL, Aposhian HV. Determination and metabolism of dithiol chelating agents: XV. The DMSA-cysteine (1:2) mixed disulfide, a major urinary metabolite of DMSA in the human, increases the urinary excretion of lead in the rat. *J Pharmacol Exp Therap* **1993**, *267*, 1221-1226

Sames D, Liu Y, DeYoung L, Polt RL. Preparation of monosilylacetals from esters via  $i$ Bu<sub>2</sub>AlH reduction and trapping with N-trimethylsilylimidazole. Addition of allyltrimethylsilane to yield homoallylic alcohols or ethers. *J Org Chem* **1995**, *60*, 2153-2159

Sames D, Polt RL. Piperidine triols via enantioselective alkylation and osmylation of alanine Schiff base esters. *Synlett* **1995**, 552-4 (Special issue dedicated to Gilbert Stork)

Polt RL, Szabò LZ, Ramza J. New method of chemical synthesis of O-linked glycopeptides. *Postepy Hig Med Dosw* **1996**, *50*, 493-503 (Chem. Abs. No. 126:277763; Published in Polish)

Chruma J, Sames D, Polt RL. N-methylation of amino acids and amino esters via O'Donnell's Schiff bases. *Tetrahedron Lett* **1997**, *38*, 5085-5086

Dangel B, Clarke M, Haley J, Sames D, Polt RL. Amino acid-derived ligands for transition metals: Catalysis via a minimalist interpretation of a metalloprotein. *J Am Chem Soc* **1997**, *119*, 10865-10866

Razavi H, Polt RL. Syntheses of iminolyxitols via tandem reduction-alkenylation of O'Donnell's Schiff bases. *Tetrahedron Lett* **1998**, *39*, 3371-3374

Mitchell SA, Oates BD, Razavi H, Polt RL. Glycosyltransferase inhibitors: Synthesis of D-threo-PDMP, L-threo-PDMP and other brain glucosylceramide synthase inhibitors from D- or L-serine. *J Org Chem* **1998**, *63*, 8837-8842

Polt RL, Sames D, Chruma J. Glycosidase inhibitors: Synthesis of enantiomerically pure fuco-1-deoxy-nojirimycin and other aza-sugars from amino acids via tandem reduction-alkenylation and osmylation. *J Org Chem* **1999**, *64*, 6147-6153

Kriss C, Lou B-H, Szabó LZ, Mitchell SA, Hrubby VJ, Polt RL. Enkephalin-based drug design: Conformational analysis of O-linked glycopeptides by NMR and molecular modeling. *Tetrahedron: Asymmetry* **2000**, *11*, 9-25

Razavi H, Polt RL. Asymmetric syntheses of (-)-8-epi-swainsonine and (+)-1,2-Di-epi-swainsonine. Carbonyl addition thwarted by an unprecedented aza-pinacol rearrangement. *J Org Chem* **2000**, *65*, 5693-5706

Elmagbari NO, Sdimid WR, Palian MM, Polt RL, Bilsky EJ. Structure-activity studies with novel opioid glycopeptides: Antinociception and blood-brain barrier penetration. *FASEB J* **2000**, *14*, 44

Bilsky EJ, Polt RL, Lipkowski AW, Misicka A, Porreca F, Hrubby VJ. Pharmacological strategies for developing opioid peptides as therapeutic agents. *FASEB J* **2000**, *14*, 45

Dangel BD, Polt RL. Catalysis by amino acid-derived tetra-coordinate complexes: Enantioselective addition of dialkylzincs to aliphatic and aromatic aldehydes. *Org Lett* **2000**, *2*, 3003-3006

Egleton RD, Mitchell SA, Polt RL, Hrubby VJ, Davis TP. Glycosylation improves the brain delivery of Met-Enkephalin analogs. *Brain Res* **2000**, *881*, 37-46

Bilsky EJ, Egleton RD, Mitchell SA, Huber JD, Jones H, Yamamura HI, Janders J, Davis TP, Davis P, Porreca F, Hruba VJ, Palian MM, Polt RL. Enkephalin glycopeptide analogs produce analgesia with reduced dependence liability. *J Med Chem* **2000**, *43*, 2586-2590

Mitchell SA, Pratt MR, Hruba VJ, Polt RL. Solid-phase synthesis of O-linked glycopeptide analogues of enkephalin. *J Org Chem* **2001**, *66*, 2327-2342

Palian MM, Jacobsen NE, Polt RL. O-linked glycopeptides retain helicity in water. *J Peptide Res* **2001**, *58*, 180-189

Palian MM, Polt RL. Lipo alpha-amino-beta-Hydroxy acids and O-linked glycosides: Building blocks for ceramyl and glycosphingoyl peptides. *J Org Chem* **2001**, *66*, 7178-7183

Palian MM, Polt RL. Glycopeptide Analgesics. *Drugs of the Future* **2001**, *26*, 561-576

Egleton RD, Mitchell SA, Huber JD, Palian MM, Polt RL, Davis TP. Improved blood-brain barrier penetration and enhanced analgesia of an opioid peptide by glycosylation. *J Pharm Exp Ther* **2001**, *299*, 967-972

Polt RL, Kelly BD, Dangel BD, Tadikonda UB, Ross RE, Raisimring AM, Astashkin AV. Optically active 4- and 5-coordinate transition metal complexes of bifurcated dipeptide Schiff bases. *Inorg Chem* **2003**, *42*, 566-574

Palian MM, Boguslavsky VI, O'Brien DF, Polt RL. Glycopeptide-membrane interactions: Glycosyl enkephalin analogs adopt turn conformations by NMR and CD in amphipathic media. *J Am Chem Soc* **2003**, *125*, 5823-5831

Abeytunga DTU, Glick JJ, Gibson NJ, Oland LA, Somogyi A, Wysocki VH, Polt RL. Presence of unsaturated sphingomyelins and changes in their composition during the life cycle of the moth *Manduca sexta*. *J Lipid Res* **2004**, *45*, 1221-1231

Slavish J, Oland LA, Friel D, Polt RL. New PDMP analogues inhibit process outgrowth in an insect cell line. *Bioorg Med Chem Lett* **2004**, *14*, 1487-1490

Elmagbari NO, Egleton RD, Palian MM, Lowery JJ, Schmid WR, Davis P, Navratilova E, Dhanasekaran M, Keyari CM, Yamamura HI, Porreca F, Hruba VJ, Polt RL, Bilsky EJ. Antinociceptive structure-activity studies with enkephalin-based opioid glycopeptides. *J Pharm Exp Therap* **2004**, *311*, 290-297

Egleton RD, Bilsky EJ, Tollin G, Dhanasekaran M, Lowery JJ, Alves I, Davis P, Porreca F, Yamamura HI, Yeomans L, Keyari CM, Polt RL. Biosynthetic glycopeptides penetrate the blood-brain barrier. *Tetrahedron: Asymmetry* **2005**, *16*, 65-75

Dhanasekaran M, Polt RL. New prospects for glycopeptide-based analgesia: Glycoside-induced penetration of the blood-brain barrier. *Current Drug Delivery* **2005**, *2*, 59-73

Dhanasekaran M, Palian MM, Alves I, Yeomans L, Keyari CM, Davis P, Bilsky EJ, Egleton RD, Yamamura HI, Jacobsen NE, Tollin G, Hruby VJ, Porreca F, Polt RL. Glycopeptides related to  $\beta$ -endorphin adopt helical amphipathic conformations in the presence of lipid bilayers. *J Am Chem Soc* **2005**, *127*, 5435-5448

Dhanasekaran M, Keyari CM, Polt RL. Glycosylated neuropeptides: A new vista for neuropsychopharmacology? *Med Res Rev* **2005**, *25*, 557-585

Egleton RD, Hawkins BT, Bilsky EJ, Yeomans L, Dhanasekaran M, Polt RL. The role of blood brain barrier transport in the enhanced analgesia of glycopeptide opioids. *FASEB J* **2006**, *20*, A240-A241

Lowery JJ, Raymond T, Yeomans L, Polt RL, Bilsky EJ. In vivo pharmacology of MMP2200 a delta/mu opioid glycopeptides. *FASEB J* **2006**, *20*, A241

Lowery JJ, Yeomans L, Keyari CM, Davis P, Porreca F, Knapp BI, Bidlack JM, Bilsky EJ, Polt RL. Glycosylation improves the central effects of DAMGO. *Chem Biol Drug Des* **2007**, *69*, 41-47

### **Book Reviews**

Polt RL. Glycopeptide Antibiotics. Nagarajan R, Ed. *J Am Chem Soc* **1995**, *117*, 7300

Polt RL. Lipid Synthesis and Manufacture. Gunstone FD, Ed. *J Am Chem Soc* **2000**, *122*, 3985